



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 1 of 18

SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER

AUSTRALIAN SUPPLIER:	Oxtek Solutions Pty Ltd.
ABN:	55 644 013 123.
ADDRESS:	Unit 5, 17-19 Miles Street, Mulgrave, VIC 3170 Australia.
TELEPHONE:	(+61 3) 9798 7534.
FREECALL:	(+61) 1300 698 351.
AH EMERGENCY TELEPHONE:	13 1126 (24 Hours) – Australian National Poisons Centre.
WEB PAGE:	www.oxtek.com.au
EMAIL	reception@oxtek.com.au
NEW ZEALAND SUPPLIER:	Lynch & Associates Limited.
ADDRESS:	Level 4, 72-74 Taharoto Road, Takapuna, Auckland, 0622, New Zealand.
TELEPHONE:	(+61 3) 9798 7534.
AH EMERGENCY TELEPHONE:	0800 POISON (0800 764 766) (24 Hours) - New Zealand National Poisons Centre.
Product Name:	X220 Moisture Fix™.
Proper Shipping Name:	Not applicable.
Product Use:	Inorganic moisture control treatment for concrete.
Manufacturer's Product Code:	Not applicable.
Creation Date:	5 May 2026.
Revision Date:	Before 3 May 2031.

SECTION 2 – HAZARDS IDENTIFICATION

AUSTRALIA:	
This product is classified as a NON-HAZARDOUS CHEMICAL in accordance with the WHS and as NON-HAZARDOUS in accordance with the GHS, and as NON-DANGEROUS GOODS according to the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code).	
Dangerous Goods:	Not applicable.
Hazardous Classes & Categories:	
Physical:	Not applicable.
Health:	Not applicable.
Environmental:	Not applicable.
Signal Word:	Not applicable.
Hazard Statements:	Not applicable.
Precautionary Statements:	
Prevention:	Not applicable.
Response:	Not applicable.
Storage:	Not applicable.
Disposal:	Not applicable.
Pictogram:	Not applicable.
Pictogram Description:	Not applicable.
Other Hazards which do not result in Classification:	Not applicable.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 2 of 18

SECTION 2 – HAZARDS IDENTIFICATION (CONTINUED)

NEW ZEALAND:

This product is classified as **NON-HAZARDOUS** according to the EPA Guide to classifying hazardous substances in New Zealand and classified as **NON-DANGEROUS GOODS** by the criteria of the New Zealand Land Transport Rule, Dangerous Goods for Transport by Road and Rail.

Dangerous Goods: Not applicable.

Hazardous Classes & Categories:

Physical: Not applicable.

Health: Not applicable.

Environmental: Not applicable.

Signal Word: Not applicable.

Hazard Statements: Not applicable.

Precautionary Statements:

Prevention: P102: Keep out of reach of children.
P103: Read label before use.
P104: Read Safety Data Sheet before use.

Response: Not applicable.

Storage: Not applicable.

Disposal: Not applicable.

Pictogram: Not applicable.

Pictogram: Not applicable.

Pictogram Description: Not applicable.

Other Hazards which do not result in Classification:

Not applicable.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Potassium Silicate (MR > 3.2)	1312-76-1	10 - < 30% w/w
Sodium Silicate (MR > 3.2)	1344-09-8	< 1% w/w
Lithium Silicate	12627-14-4	< 1% w/w
Silicon dioxide, chemically prepared	7631-86-9	< 1% w/w
Other Ingredients (Non-Hazardous) and Water	Proprietary	To 100% w/w
Total		100% w/w

SECTION 4 – FIRST AID MEASURES

Scheduled Poisons (AUSTRALIA):	Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons. (Phone Australia 13 1126) or a doctor (at once).
Scheduled Poisons (NEW ZEALAND):	New Zealand National Poisons Centre can provide additional assistance for scheduled poisons. Phone 0800 POISON (or 0800 764 766) or a doctor (at once).
First Aid Facilities Required:	Eye wash fountains and a general washing facility should be easily accessible in the immediate work area.
Inhalation:	Remove affected person immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.
Ingestion (Swallowed):	If swallowed DO NOT induce vomiting. Immediately rinse out mouth with water. Never give anything by mouth to an unconscious patient. If vomiting occurs naturally, have affected person lean forward to reduce the risk of aspiration into the lungs. Get to a doctor or hospital quickly.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 3 of 18

SECTION 4 – FIRST AID MEASURES (CONTINUED)

Skin Contact:	Remove affected person from source of contamination. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Get medical attention promptly if symptoms occur after washing.
Eye Contact:	Remove affected person immediately from source of exposure. If in eyes, hold eyelids apart and flush the eye continuously with running water. Make sure to remove any contact lenses from the eyes before rinsing. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor, or for at least 15 minutes. Get medical attention immediately.
Advice to Doctor:	No specific antidote. Treat symptomatically. Poisons Information Centre in each Australian State capital city or New Zealand National Poisons Centre can provide additional assistance for scheduled poisons.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media:	Fine water spray, define extinguishing measures according to neighbouring conditions.
Unsuitable extinguishing media:	Not applicable.
Specific hazards arising from the chemical:	Do not breathe fumes/vapour/spray. Exposure to combustion products may be a hazard to health.
Special protective equipment and precautions for fire fighting:	In case of a large fire or in confined or poorly ventilated spaces, wear full fire-resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Do not allow run-off from fire-fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. If safe to do so, remove container(s) from the path of the fire if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dyke for later disposal. Use extinguishing agents for surrounding fire.
Hazchem code:	Not applicable.
ANZERG:	Not applicable.
Flash point:	> 95°C.
Flammability:	Product is Non-combustible according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) and the New Zealand Land Transport Rule, Dangerous Goods for Transport by Road and Rail. No special measures for fire and explosion protection. No dangerous decomposition products known.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 4 of 18

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

General information:

Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency. If required, notify relevant authorities according to all applicable regulations. Evacuate non-essential personnel. For personal protection see section 8. Stop or contain leak at the source, if safe to do so. Ensure adequate ventilation. Do not breathe vapours. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.

Advice for non-emergency personnel:

Do not touch or walk through spilled material, product may represent slip hazard. For personal protection see section 8.

Advice for emergency responders:

Take all appropriate steps to avoid slip hazards to the rescuers. In case of spillages:

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Environmental precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Do not allow to enter drainage system, surface or ground water. In the event of product entering waters or drainage system, or polluting soil or plants contact the Environmental Protection Authority or your local Waste Management Authority.

Methods and materials for containment and cleaning up:

DO NOT TOUCH SPILLED MATERIAL! Stop leak if possible without risk. Spilt material should be absorbed into dry, inert material (e.g. sand, vermiculite, diatomite, acid binders, universal binders, sawdust etc.), which then can be put into appropriately labelled drums. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. The waste material can be disposed of by incineration (preferably high temperature) by an approved agent according to local conditions.

Reference to other sections:

See Section 7 for information on safe handling; See Section 8 for information on personal protection equipment; See Section 13 for information on disposal.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 5 of 18

SECTION 6 – ACCIDENTAL RELEASE MEASURES (CONTINUED)

Other information: Recommended measures are based on the most likely spillage scenarios for this material. Local regulations may also prescribe or limit actions to be taken.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling:

Advice on safe handling:

Avoid all personal contact, including skin and eye contact and contamination of clothing. Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Wear protective clothing when risk of exposure occurs. Avoid formation of aerosols. In case of aerosol formation special protective measures are required (exhausting by suction, respiratory protection). Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Take care to prevent spills, waste and minimise release to the environment. Use only with sufficient ventilation. Respiratory protection is necessary where aerosol or mist formation occurs. Refer to Section 8.

Technical measures:

See Engineering measures and put on appropriate personal protective equipment, where required (see Section 8).

Prevention of fire and explosion:

No special measures required.

Hygiene measures:

If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin. Remove contaminated clothing and protective equipment before entering eating areas. Wash contaminated clothing before re-use. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Technical measures/storage conditions:

Store in accordance with local regulations. Store in properly labelled original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Storage Class:

Not applicable.

Materials to avoid:

Aluminium, zinc or light metals.

Packaging material:

Steel or stainless steel. Use polyolefin receptacles.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 6 of 18

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure control measures

(AUSTRALIA):

Exposure standards time-weighted average (TWA):

Workplace exposure limits for airborne contaminants (as published by Safework Australia):

Time-weighted Average (TWA): None established for product.

TWA for Silica (as respirable dust is 2 mg/m³ (Safework Australia).

Exposure standards short term exposure limit (STEL):

Workplace exposure limits for airborne contaminants (as published by Safework Australia):

Short Term Exposure Limit (STEL): None established for product.

Exposure standards comment:

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Biological monitoring:

Biological exposure indices (BEI) (as published by ACGIH):

Biological Exposure Determinants: None established for product.

Exposure control measures (NEW ZEALAND):

Exposure standards time-weighted average (TWA):

Workplace exposure standards, as published by Worksafe, New Zealand:

Time-weighted Average (TWA): None established for product.

TWA for Fumed silica (as respirable dust is 2 mg/m³ (Worksafe, New Zealand).

Exposure standards short term exposure limit (STEL):

Workplace exposure standards, as published by Worksafe, New Zealand:

Short Term Exposure Limit (STEL): None established for product.

Exposure standards Ceiling:

Ceiling: None established for product.

Exposure standards comment:

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Biological monitoring:

Biological exposure indices (BEI) (as published by Worksafe, New Zealand):

Biological Exposure Determinants: None established for product.

Engineering controls:

Product is recommended to be applied using a roller or low pressure spray apparatus adjusted to avoid aerosol formation. In outdoor application no special ventilation or breathing equipment is required. If applied indoors, extra mechanical ventilation may be required to facilitate more comfortable breathing and minimize the risk of inhalation of vapours.

Individual protection measures:

General protective & hygiene measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Eye and face protection:

The use of face shields, chemical goggles, or safety glasses with side shield protection (meeting the requirements of AS/NZS 1337) is recommended.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 7 of 18

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

Skin protection:	Chemical resistant impervious gloves (e.g. PE/EVAL/PE gloves complying with AS/NZS 2161) are recommended. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Clothing:	Suitable protective clothing complying with AS/NZS 4501, suitable footwear complying with AS/NZS 2210 are recommended.
Respiratory protective equipment:	No special precautions are envisaged to be required. No adverse respiratory exposure anticipated under normal use. However, if the product is spilled in case of inadequate ventilation or if exposure standards are exceeded then use a full face air purifying respirator (with Class A filter for organic vapours boiling above 65°C) meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Low viscosity colourless transparent liquid.
Odour:	Odourless.
Odour threshold:	Not available.
pH:	Ca. 11.3.
Melting point/ freezing point:	Not available.
Initial boiling point/ boiling range:	> 100°C @ 760 mm Hg.
Flash point:	> 95°C.
Evaporation rate:	Not available.
Flammability (solid, gas):	Not applicable.
Upper/lower flammability or explosive limits:	Not applicable.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	Ca. 1.10 @ 20°C.
Solubility:	Fully miscible in water.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not applicable.
Viscosity:	Low.
Specific heat value:	Not available.
Saturated vapour concentration:	Not available.
Release of invisible flammable vapours and gases:	Not applicable.
Particle size:	Not applicable.
Size distribution:	Not applicable.
Shape and aspect ratio:	Not applicable.
Crystallinity:	Not applicable.
Dustiness:	Not applicable.
Surface area:	Not applicable.
Degree of aggregation or agglomeration, and dispersibility:	Not applicable.
Redox potential:	Not available.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 8 of 18

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES (CONTINUED)

Biodurability or biopersistence:	Not available.
Surface coating or chemistry:	Not applicable.

SECTION 10 – STABILITY AND REACTIVITY

Reactivity:	Product is not expected to be chemically reactive.
Chemical stability:	Stable under recommended storage conditions at normal temperatures and pressure.
Possibility of hazardous reactions:	Strong exothermic reaction with acids. May react with light alloys to form hydrogen.
Conditions to avoid:	Avoid contact with incompatible materials.
Incompatible materials:	Acids, light alloys.
Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Health Effects:	
Acute:	
General:	Alkaline product.
Acute toxicity data (oral):	No data for product.
Acute toxicity data (dermal):	No data for product.
Acute toxicity data (inhalation):	No data for product.
Repeated dose (chronic) toxicity data:	No data for product.
Skin corrosion/irritation:	No data for product.
Serious eye damage/irritation:	No data for product.
Respiratory or skin sensitisation:	No sensitising effects known.
Germ cell mutagenicity:	On basis of current knowledge, not expected to be mutagenic.
Carcinogenicity:	Based on the available toxicological data no specific evaluation of the carcinogenic potential is scientifically implicated.
Reproductive toxicity:	On the basis of the available data no reproductive hazards are expected.
Specific Target Organ Toxicity (STOT) – single exposure:	No data for product.
Specific Target Organ Toxicity (STOT) – repeated exposure:	No data for product.
Aspiration hazard:	No data for product.
Information on Possible Routes of Exposure:	
Inhalation:	Eyes, skin, mouth. Inhalation should be avoided and may provoke symptoms of irritation of the nasal and gastrointestinal tracts.
Skin contact:	Skin contact may result in skin irritation (redness).
Eye contact:	Eye contact may provoke the following symptoms: Tearing; Redness; Discomfort.
Ingestion (swallowed):	Swallowing may result in nausea, vomiting and irritation of the gastrointestinal tract.
Other health effects:	Not applicable.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 9 of 18

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity:	This product is not classified as Harmful to aquatic life (according to GHS) and is not classified as Environmentally hazardous substance (according to the ADG Code and the New Zealand Land Transport Rule, Dangerous Goods for Transport by Road and Rail incorporating the New Zealand Standard NZS 5433:2020, Transport of Dangerous Goods on Land and New Zealand Handbook SNZ HB 5433:2021, UN dangerous goods list).
Fish Toxicity:	None available for product.
Invertebrates Toxicity:	None available for product.
Algae Toxicity:	None available for product.
Toxicity to Microorganisms:	None available for product.
Information about elimination (persistence & degradability):	No data available for product, on basis of ingredients, product is inorganic, and expected to be readily mineralised.
Bioaccumulative potential:	No data available for product, on basis of ingredients not expected to be bioaccumulative.
Mobility in soil:	Given its physical and chemical characteristics, the product may be mobile in the ground. The product is miscible with water and may contaminate ground water.
Behaviour in Sewage Processing Plants:	The product is an alkaline solution. Neutralisation is normally necessary before waste water is discharged into sewage treatment plants.
General:	DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Product is miscible with water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Inform local authorities if this occurs.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal methods:	
Product:	Should not be released into the environment. Product is alkaline and should be neutralised prior to disposal. Recommended to be handed over to hazardous waste disposers or licensed chemical waste collection agent and adhering to the applicable relevant Commonwealth, state, territory and local government regulations.
Uncleaned packaging:	Empty containers may contain residues of product. Recommended cleansing agent is water, if necessary with cleansing agents. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information:	Refer to section 8 for safety and protective measures for disposal personnel.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 10 of 18

SECTION 14 – TRANSPORT INFORMATION

Road and rail transport:	This material is classified as NON-DANGEROUS GOODS according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code), and the New Zealand Land Transport Rule, Dangerous Goods for Transport by Road and Rail.
UN number:	Not applicable.
Proper shipping name or technical name:	Not applicable.
ADG transport hazard class:	Not applicable.
Packing group:	Not applicable.
Hazchem code:	Not applicable.
ANZERGB:	Not applicable.
Marine transport:	This material is classified as NON-DANGEROUS GOODS and is not classified as a MARINE POLLUTANT by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
UN number:	Not applicable.
Proper shipping name or technical name:	Not applicable.
IMDG hazard class:	Not applicable.
Packing group:	Not applicable.
Air transport:	This material is classified as NON-DANGEROUS GOODS , by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
UN number:	Not applicable.
Proper shipping name or technical name:	Not applicable.
IATA hazard class:	Not applicable.
Packing group:	Not applicable.
Hazard class label:	Not applicable.

SECTION 15 – REGULATORY INFORMATION

Compliance with international agreements:	
Basel Convention:	This product is not subject to the Basel Convention (Hazardous waste).
MARPOL:	This product is not subject to the International Convention for the Prevention of Pollution from Ships (MARPOL).
Montreal Protocol:	This product is not subject to the Montreal Protocol (Ozone depleting substances).
The Rotterdam Convention:	This product is not subject to the Rotterdam Convention (Prior Informed Consent).
The Stockholm Convention:	This product is not subject to the Stockholm Convention (Persistent Organic Pollutants).
Australian and New Zealand Standards:	Australian Standard AS 1337.0:2020, Personal protective equipment, Part 0: Eye and face protection - Vocabulary, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2020. Australian/New Zealand Standard AS/NZS 1337.1:2020, Personal eye protection, Part 1: Eye and face protectors for occupational applications, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2020.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 11 of 18

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

Australian/New Zealand Standard AS/NZS 1715:2009, Selection, use and maintenance of respiratory protective equipment, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2009.

Australian/New Zealand Standard AS/NZS 1716:2012, Respiratory protective devices, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2012.

Australian Standard AS 1940:2017, The storage and handling of flammable and combustible liquids, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2017.

Australian/New Zealand Standard AS/NZS 2161:2016, Occupational protective gloves – Selection, use and maintenance, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2016.

Australian/New Zealand Standard AS/NZS 2161.1:2016, Occupational protective gloves. Part 1: Selection, use and maintenance, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2016.

Australian/New Zealand Standard AS/NZS 2161.2:2020, Occupational protective gloves, Part 2: General requirements and test methods (ISO 21420:2020, MOD), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2020.

Australian/New Zealand Standard AS/NZS 2161.3:2020, Occupational protective gloves, Part 3: Protection against mechanical risks, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2020.

Australian/New Zealand Standard AS/NZS 2161.4:1999, Occupational protective gloves, Part 4: Protection against thermal risks (heat and fire) (Reconfirmed 2016), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1999.

Australian/New Zealand Standard AS/NZS 2161.6:2014, Occupational protective gloves, Part 6: Protective gloves for structural firefighting - Laboratory test methods and performance requirements, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2014.

Australian/New Zealand Standard AS/NZS 2161.7.1:1998, Occupational protective gloves, Part 7.1: Protection against cuts and stabs by hand knives - Chainmail gloves and arm guards (Reconfirmed 2016), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1998.

Australian/New Zealand Standard AS/NZS 2161.7.2:2005, Occupational protective gloves, Part 7.2: Protection against cuts and stabs by hand knives - Gloves and arm guards made of material other than chainmail (Reconfirmed 2017), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2005.

Australian/New Zealand Standard AS/NZS 2161.7.3:2005, Occupational protective gloves, Part 7.3: Protection against cuts and stabs by hand knives - Impact cut test for fabric, leather and other materials, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2005.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 12 of 18

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

Australian/New Zealand Standard AS/NZS 2161.8:2002, Occupational protective gloves, Part 8: Protection against ionizing radiation and radioactive contamination, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2002.

Australian/New Zealand Standard AS/NZS 2161.10.1:2005, Occupational protective gloves, Part 10.1: Protective gloves against chemicals and micro-organisms - Terminology and performance requirements (Reconfirmed 2016), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2005.

Australian/New Zealand Standard AS/NZS 2161.10.2:2005, Occupational protective gloves, Part 10.2: Protective gloves against chemicals and micro-organisms - Determination of resistance to penetration, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2005.

Australian/New Zealand Standard AS/NZS 2161.10.3:2005, Occupational protective gloves, Part 10.3: Protective gloves against chemicals and micro-organisms - Determination of resistance to permeation by chemicals (Reconfirmed 2016), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2005.

Australian/New Zealand Standard AS/NZS 2210.1:2010, Safety, protective and occupational footwear, Part 1: Guide to selection, care and use, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2010;

Australian Zealand Standard AS 2210.2:2019, Personal protective equipment, Method 2: Test methods for footwear (ISO 20344:2011, MOD), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2019.

Australian Standard AS 2210.3:2019, Personal protective equipment, Part 3: Safety footwear (ISO 20345:2011, MOD), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2019.

Australian Standard AS 2210.5:2019, Personal protective equipment, Part 5: Occupational footwear (ISO 20347:2012, MOD), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2019.

Australian Standard AS 3780:2023, The storage and handling of corrosive substances, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2023.

Australian/New Zealand Standard AS/NZS 3833:2007, The storage and handling of mixed classes of dangerous goods, in packages and intermediate bulk containers, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2007.

Australian Standard AS 4326:2008, The storage and handling of oxidizing agents, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2008.

Australian Standard AS 4332:2004, The storage and handling of gases in cylinders (Reconfirmed 2016), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2004.

Australian/New Zealand Standard AS/NZS 4452:1997, The storage and handling of toxic substances, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1997.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 13 of 18

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

Australian/New Zealand Standard AS/NZS 4501.1:2008, Occupational protective clothing, Part 1: Guidelines on the selection, use, care and maintenance of protective clothing (Reconfirmed 2020), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2008.

Australian/New Zealand Standard AS/NZS 4501.2:2006, Occupational protective clothing, Part 2: General requirements), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2006.

Australian/New Zealand Standard AS/NZS 4502.1:2006, Methods for evaluating clothing for protection against heat and fire, Part 1: Evaluation of thermal behaviour of materials and material assemblies when exposed to a source of radiant heat, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2006.

Australian/New Zealand Standard AS/NZS 4502.2:1997, Methods for evaluating clothing for protection against heat and fire, Part 2: Evaluation of heat transmission of materials and material assemblies when exposed to flame, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1997.

Australian/New Zealand Standard AS/NZS 4502.3:1997, Methods for evaluating clothing for protection against heat and fire, Part 3: Evaluation of the behaviour of materials and material assemblies when exposed to small splashes of molten metal, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1997.

Australian Standard AS 4332:2004, The storage and handling of gases in cylinders (Reconfirmed 2016), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2004.

Australian/New Zealand Standard AS/NZS 4452:1997, The storage and handling of toxic substances, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1997.

Australian/New Zealand Standard AS/NZS 4501.1:2008, Occupational protective clothing, Part 1: Guidelines on the selection, use, care and maintenance of protective clothing (Reconfirmed 2020), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2008.

Australian/New Zealand Standard AS/NZS 4501.2:2006, Occupational protective clothing, Part 2: General requirements), Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2006.

Australian/New Zealand Standard AS/NZS 4502.1:2006, Methods for evaluating clothing for protection against heat and fire, Part 1: Evaluation of thermal behaviour of materials and material assemblies when exposed to a source of radiant heat, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2006.

Australian/New Zealand Standard AS/NZS 4502.2:1997, Methods for evaluating clothing for protection against heat and fire, Part 2: Evaluation of heat transmission of materials and material assemblies when exposed to flame, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1997.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 14 of 18

SECTION 15 – REGULATORY INFORMATION (CONTINUED)

Australian/New Zealand Standard AS/NZS 4502.3:1997, Methods for evaluating clothing for protection against heat and fire, Part 3: Evaluation of the behaviour of materials and material assemblies when exposed to small splashes of molten metal, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 1997.

Australian/New Zealand Standard AS/NZS 4681:2000, The storage and handling of class 9 (miscellaneous) dangerous goods and articles, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2000.

Australian Standard AS 4775:2007, Emergency eyewash and shower equipment, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2007.

Australian/New Zealand Standard AS/NZS 5026:2012, The storage and handling of Class 4 dangerous goods, Standards Australia International Ltd, GPO Box 476, Sydney, NSW 2001, Australia, 2012.

New Zealand Standard NZS 5433:2020, Transport of Dangerous Goods on Land, Standards New Zealand, PO Box 1473, Wellington, 6140, New Zealand, 2020.

New Zealand Handbook SNZ HB 5433:2021, UN dangerous goods list, Standards New Zealand, PO Box 1473, Wellington, 6140, New Zealand, 2021.

ADG Code:

Australian Code for the Transport of Dangerous Goods by Road and Rail, 7.9th Edition, The National Transport Commission, Melbourne, Australia, July 2024, website: <https://www.ntc.gov.au/>

AICIS:

All ingredients are listed on the Australian Inventory of Industrial Chemicals (AIIC), website: <https://www.industrialchemicals.gov.au/>

GHS:

Globally Harmonized System of classification and labelling of chemicals (GHS), 7th Revised edition, United Nations, New York, USA and Geneva, Switzerland, 2017, website: <https://unece.org/ghs-rev7-2017>

HSNO:

This product is classified as NON-HAZARDOUS according to the EPA Guide to classifying hazardous substances in New Zealand. Further information on . website: <https://www.legislation.govt.nz/>

NZIoC:

All ingredients are listed or are exempt from listing on the NZIoC, website: <https://www.epa.govt.nz/database-search/new-zealand-inventory-of-chemicals-nzioc/>

SUSMP:

Not scheduled against the Standard for the Uniform Scheduling of Medicines and Poisons, February 2026 Instrument 2026), Therapeutic Goods Administration, Woden, Australia, 27 January 2026, website: <https://www.tga.gov.au/products/regulations-all-products/legislation-and-legislative-instruments/poisons-standard-susmp>



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 15 of 18

SECTION 16 – OTHER INFORMATION

Acronyms and Comments:

ACGIH:	American Conference of Industrial Hygienists, 3640 Park 42 Drive, Cincinnati, OH 45241, USA, website: https://www.acgih.org/
ADG Code:	Australian Code for the Transport of Dangerous Goods by Road and Rail, website: https://www.ntc.gov.au/
AICIS:	Australian Industrial Chemicals Introduction Scheme which replaced National Industrial Chemicals Notification and Assessment Scheme (NICNAS), GPO Box 58, Sydney NSW 2001, Australia, website: https://www.industrialchemicals.gov.au/
AIIC	Australian Inventory of Industrial Chemicals issued by the Australian Industrial Chemicals Introduction Scheme, website: https://www.industrialchemicals.gov.au/
ANZERGB:	Australian & New Zealand Emergency Response Guide Book (2024). This guidebook is published by the Competent Authorities Panel (CAP), a national body comprising state and territory Competent Authorities for the transport of dangerous goods by road and rail in Australia. Further information is available at https://www.ntc.gov.au/codes-and-guidelines/australian-dangerous-goods-code
AS:	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia and are available at website https://store.standards.org.au/
AS/NZ:	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia and Standards New Zealand, PO Box 1473, Wellington, 6140, New Zealand, 2021. Australian Standards are available at website: https://store.standards.org.au/ ;New Zealand Standards are available at website: https://www.standards.govt.nz/
Basel Convention:	The Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal, website: https://www.basel.int/
BEI:	Biological Exposure Indices published by the American Conference of Governmental Industrial Hygienists (ACGIH), 3640 Park 42 Drive, Cincinnati, OH 45241, USA, website: https://www.acgih.org/
CAS number:	Chemical Abstracts Service Registry Number, website: https://www.cas.org/cas-data/cas-registry
EC:	This refers to the median effective concentration (EC ₅₀) which is a statistically derived concentration of a substance in an environmental medium expected to produce a certain effect in 50 % of test organisms in a given population under a defined set of conditions. Note: EC _n refers to the median concentration that is effective in n % of the test population.
EPA:	The Environmental Protection Authority (EPA) in New Zealand is responsible for national environmental regulatory functions currently spread across Government. It processes matters of national significance under the Resource Management Act, undertakes all functions under the HSNO Act, undertakes permitting and exemption functions under the Ozone Layer Protection Act, permitting functions relating to the import and export of hazardous waste, and advises on the development of National Environmental Standards. The Environmental Protection Authority postal address is Private Bag 63002, Wellington, 6140, New Zealand, website: https://www.epa.govt.nz
ERMA:	Environmental Risk Management Authority in New Zealand, now replaced by EPA.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 16 of 18

SECTION 16 – OTHER INFORMATION (CONTINUED)

GHS:	Globally Harmonized System of Classification and Labelling of Chemicals, a globally harmonised system for classification and labelling of chemicals proposed by the United Nations, website: https://unece.org/
HAZCHEM:	An emergency action code developed by the United Kingdom Fire Service to provide emergency services personnel with information on the fire fighting medium to be used, the personnel protective equipment required, the risk of violent reaction or explosion and how to treat spillages of dangerous goods. It is available from website: https://www.ricardo.com/
HSNO	The Hazardous Substances and New Organisms Act in New Zealand is administered by the EPA, and covers all Hazardous Substances and New Organisms, website: https://www.legislation.govt.nz/ ; Further information at the website: https://www.epa.govt.nz is available on: <ul style="list-style-type: none">• Guide to classifying hazardous substances in New Zealand.• Hazardous Substances (Labelling) Notice 2017.• Hazardous Substances (Packaging) Notice 2017.• Hazardous Substances (Safety Data Sheets) Notice 2017.
IARC:	International Agency for Research on Cancer, website: https://www.iarc.who.int/
IMDG:	International Maritime Dangerous Goods Code for transport by sea, website: https://www.imo.org/
LC/LD:	The median lethal dose, LD ₅₀ (abbreviation for “lethal dose, 50%”), LC ₅₀ (lethal concentration, 50%) is the dose required to kill half the members of a tested population after a specified test duration. LD ₅₀ figures are frequently used as a general indicator of a substance's acute toxicity.
MARPOL:	International Convention for the Prevention of Pollution from Ships, website: https://www.imo.org/
Montreal Protocol:	The Montreal Protocol on Substances that Deplete the Ozone Layer, as adjusted and/or amended, website: https://www.unep.org/
NTP:	National Toxicology Program (USA Department of Health and Human Services) , website: https://ntp.niehs.nih.gov/
NZIoC:	The New Zealand Inventory of Chemicals is a database of all the hazardous chemical components of products approved under group standards. It also includes a number of non-hazardous chemical components. It is administered by the Environmental Protection Authority, New Zealand, website: https://www.epa.govt.nz/database-search/new-zealand-inventory-of-chemicals-nzioc/
NZS	Standards issued by Standards New Zealand, PO Box 1473, Wellington, 6140, New Zealand, available at website: https://www.standards.govt.nz/
OSHA:	Occupational Safety and Health Administration (USA), website: https://www.osha.gov/
PE/EVAL/PE	Polyethylene/Ethylene-vinyl alcohol or EVOH/Polyethylene.
PPE:	Personal Protective Equipment.
Rotterdam Convention:	The Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade, website: https://www.pic.int/



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 17 of 18

SECTION 16 – OTHER INFORMATION (CONTINUED)

Safe Work Australia:	Safe Work Australia was formerly the Australian Safety and Compensation Council, which included the National Occupational Health and Safety Commission (NOHSC). Safe Work Australia postal address is GPO Box 641, Canberra, ACT 2601 Australia, website: https://www.safeworkaustralia.gov.au/
SDS:	Safety Data Sheet.
STEL:	Exposure standard - short term exposure limit, a 15-minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.
Stockholm Convention:	The Stockholm Convention on Persistent Organic Pollutants, website: https://chm.pops.int/
SUSMP:	Standard for the Uniform Scheduling of Medicines and Poisons, website: https://www.tga.gov.au/products/regulations-all-products/legislation-and-legislative-instruments/poisons-standard-susmp .
TDL₀:	Total Dose Low means the smallest deadly dose, which caused a toxic or other harmful effect after application on humans or animal.
TWA:	Exposure standard - time-weighted average, the average airborne concentration of a particular substance when calculated over a normal eight hour working day, for a five-day working week.
UN number:	United Nations Number, website: https://unece.org/
WHS:	Model work health and safety legislation introduced by the Australian government which consists of an integrated package of a model Work Health and Safety (WHS) Act, supported by model Work Health and Safety (WHS) Regulations, model Codes of Practice and a National Compliance and Enforcement Policy. The WHS Regulations implement a new system of chemical hazard classification, labelling and safety data sheet requirements based on the GHS. Further information is available at website: https://www.safeworkaustralia.gov.au/
Issue date:	5 May 2026.
Supersedes issue date:	6 May 2021.
Revision information:	Classification update and reformatting.
Contact point:	Office Manager.
Telephone:	(+61 3) 9798 7534.
Note:	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.



X220 Moisture Fix™
SAFETY DATA SHEET



Oxtek Solutions Pty Ltd
ABN 55 644 013 123
Product: **X220 Moisture Fix™**
Date of Issue: May 2026
Page 18 of 18

SECTION 16 – OTHER INFORMATION (CONTINUED)

Disclaimer:

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Oxtek Solutions Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Copyright Notice:

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism as permitted under the Copyright Act, no part may be reproduced by any process without written permission from Oxtek Solutions Pty Ltd TEL (+61 3) 9798 7534 © Oxtek Solutions Pty Ltd 2026.